Author Index of Volume 167

Ahlzén, P.-J., 21
Andreev, A. V., 101, 107, 255
Andreev, S. V., 255
Aoki, K., 113
Archuleta, J. I., 353
Auffret, S., 53

Bakonyi, I., 283
Bartashevich, M. I., 101, 107
Bauhofer, C., 65
Bauhofer, W., 65
Boje, J., 179
Bomba, C., 155
Bronger, W., 155

Cabral, F. A. O., 31
Champarnaud-Mesjard, J.-C., 319
Chetal, A. R., 199
Chevalier, B., 365
Cort, B., 353
Cziraki, A., 283

Debuigne, J., 261
Dünner, J., 127
Dyke, J. T., 223

Eash, D. T., 353
Eckert, J., 143
El-Eskandarany, M. S., 113
Essmann, R., 81
Etchessahar, E., 261

Fedorchuk, A. A., 365
Feltz, A., 233
Fernández, F., 387
Fernando, Q., 223
Fischer, P., 81
Fleischhauer, J., 155
Fogarassy, B., 283
Frit, B., 319

Gama, S., 31
Gaviko, V. S., 119
Glebovskii, V. G., 11
Gnesin, B. A., 11
Goldstone, J. A., 353
Grin, Yu. N., 365
Gryniv, I. A., 365
Gubanov, V. A., 1
Guo, H.-Q., 339

Harmelin, M., 261
Hippert, F., 53
Hirano, T., 329
Hossó, M., 283
Houssay, E., 53

Ibrom, F., 345
Isasi, J., 381
Ivanovsky, A. L., 1

Jacobs, H., 81
Jerez, A., 381, 387
Johnson, G. W., 153

Karpov, M. I., 11
Kireyko, V. V., 11
Kleppa, O. J., 91
Kleykamp, H., 373
Kong, L.-S., 213
Korolyov, A. V., 119
Kremer, R. K., 65
Krozer, A., 305
Kuentzler, R., 169
Kupryazhkin, A. Ya., 1

Lambert-Andron, B., 53
Laureiro, Y., 387
Lawson, A. C., 353
Lee, J.-Y., 245
Li, J.-Q., 217
Lovas, A., 283
Lueken, H., 345

Madar, R., 53
Mahto, P., 199
Malaman, B., 45
Mällo, A., 305
Martinez, D. J., 353
Martinez, R. J., 353
Mattausch, Hj., 65
Mewis, A., 127
Miller, G. J., 65
Mohr, G., 345
Moosa, I. S., 153
Müller, J., 169
Müller-Buschbaum, Hk., 179, 185, 193, 395
Mushnikov, N. V., 119

Nagy, I., 283
Neumann, N., 345
Nie, Y.-Y., 217
Ning, T.-S., 339
Novikov, D. L., 1
Nutting, J., 153

Park, J.-M., 245
Pico, C., 381, 387
Pierre, J., 53

Rogl, P., 135, 365
Rundqvist, S., 21
Rusbüldt, C., 155

Saez-Puche, R., 387
Sarode, P. R., 199
Schanz, H.-J., 345
Schlüter, D., 395
Schultz, L., 143
Seiger, D., 345
Shein, I. R., 1
Shen, B.-G., 339
Simon, A., 65
Snegirev, A. A., 11
Sohn, Y.-U., 261
Sonne, P., 185, 193
Steinbruck, M., 233
Stevens, M. F., 354
Suzuki, K., 113

Tarasov, E. N., 255
Tompa, K., 283
Topor, L., 91
Tóth-Kádár, E., 283

Urban, K., 143

© Elsevier Sequoia/Printed in The Netherlands

Vasilkovsky, V. A., 101
Veiga, M. L., 381, 387
Vemulapalli, K., 223
Venturini, G., 45

Wang, X.-T., 213
Waterstrat, R. M., 169
Wegner, B., 81
Weitzer, F., 135
Williams, A., 353
Wo, F., 339

Yanagihara, N., 223
Yang, L.-Y., 339
Yang, Y.-C., 213
Yu, M.-J., 213

Zhan, W.-S., 339
Zhang, J.-X., 339
Zhao, J.-G., 339
Zhuang, Y.-H., 217

Subject Index of Volume 167

Alloys
magnetostriction-initiated ordering of hydrogen in $Sm(Fe,Co)_2$ alloys, 119
rod milling for solid-state formation of $Al_{30}Ta_{70}$ amorphous alloy powder, 113
Aluminium
compositional dependence of quasicrystal formation in mechanically alloyed Al–Cu–Mn, 143
crystal structure of $Y_3Pt_4Ge_6$: an intergrowth of $BaAl_4$ and $YIrGe_2$ slabs, 45
rod milling for solid-state formation of $Al_{30}Ta_{70}$ amorphous alloy powder, 113
Ammonia
the systems MF–ScF_3 (M ≡ Li, Na, K, Rb, Cs, Tl, NJ_4), 319
Anisotropy
magnetocrystalline anisotropy in Y_6Fe_{23}, 101
Antimony
synthesis and structure determination of a new phase in the La_2O_3–Li_2O–Sb_2O_5 system, 381

Barium
$BaCu_2P_4$—a new ternary polyphosphide, 127
$BaZnNd_2O_5$: a new structure for oxometallates $BaMLn_2O_5$, 193
characterization of $BaNiTb_2O_5$ and $BaCuLaSmO_5$, 185
crystal structure of $Y_3Pt_4Ge_6$: an intergrowth of $BaAl_4$ and $YIrGe_2$ slabs, 45
magnetic susceptibility of calcium, strontium and barium between 295 and 3 K, 345
synthesis and structure determination of $Ba_8Pt_4Lu_3O_{17.5}$, 395
synthesis of barium imide from the elements and orientational disorder of anions in BaND studied by neutron diffraction from 8 to 294 K, 81
Boron
hard magnetic properties of rapidly quenched $Nd_{4-x}Dy_xFe_{77.5}B_{18.5}$ alloys, 339
Brittleness
some structural sources of brittleness in molten tungsten, 11

Caesium
$Cs_7Co_4Se_8$, a compound having $[Co_4Se_8]$ units, 155
the systems MF–ScF_3 (M ≡ Li, Na, K, Rb, Cs, Tl, NH_4, 319
Calcium
single-crystal growth and electrical properties of $CaSi_2$, 329
magnetic susceptibility of calcium, strontium and barium between 295 and 3 K, 345
Calorimetry
the Ti–N system: kinetic, calorimetric, structural and metallurgical investigations of the δ'-$TiN_{0.51}$ phase, 261
Carbon
structure and properties of Gd_2XC (X ≡ Cl, Br, I), 65
thermodynamics of the U–Ru–C system, 373
Carbonates
synthesis of lanthanide carbonates, 223
structure and properties of Gd_2XC (X ≡ Cl, Br, I), 65
Cerium
crystal structure and properties of tetragonal $CeGe_{1.6}$, 53
physical properties of binary cerium gallides and ternary cerium–germanium gallides, 365
Characterization
characterization of $BaNiTb_2O_5$ and $BaCuLaSmO_5$, 179
Chromium
thermodynamic properties of the $Zr_{0.8}Ti_{0.2}(Mn_xCr_{1-x})Fe$–$H_2$ system, 245
Cobalt
$Cs_7Co_4Se_8$, a compound having $[Co_4Se_8]$ units, 155
magnetostriction-initiated ordering of hydrogen in $Sm(Fe,Co)_2$ alloys, 119
Coercivity
phase coexistence and coercivity in the Fe–Nd and Fe–Pr systems, 31
Composition
compositional dependence of quasicrystal formation in mechanically alloyed Al–Cu–Mn, 143

© Elsevier Sequoia/Printed in The Netherlands

Conductivity
investigations into electron-conducting oxide systems XV. Formation of mixed crystals and conductivity in the system $MgTi_2O_4$–$MgTi_2O_4$, 233
Copper
a study of doped lanthanum cuprate: $La_{1.5}Sr_{0.5}Cu_{0.75}Mo_{2.5}O_4$ ($M \equiv Ti^{4+}, Ir^{4+}$), 179
$BaCu_2P_4$—a new ternary polyphosphide, 127
characterization of $BaNiTb_2O_5$ and $BaCuLaSmO_5$, 179
compositional dependence of quasicrystal formation in mechanically alloyed Al–Cu–Mn, 143
Crystal formation
compositional dependence of quasicrystal formation in mechanically alloyed Al–Cu–Mn, 143
Crystal structure
crystal structure and properties of tetragonal $CeGe_{1.6}$, 53
crystal structure of $Y_3Pt_4Ge_6$: an intergrowth of $BaAl_4$ and $YIrGe_2$ slabs, 45
solid phase equilibria in the Zr–Zr_2P–ZrO_2 system: the crystal structure of Zr_3PO_{1-x}, 21

Decrepitation
microstructure and magnetic domains in sintered Nd–Fe–B magnets made by hydrogen decrepitation and conventional techniques, 153
Deuterium
synthesis of barium imide from the elements and orientational disorder of anions in BaND studied by neutron diffraction from 8 to 294 K, 81
Diffusion
"up-hill" diffusion and hydrogen–hydrogen interaction in palladium–platinum alloys, 305
Disorder
synthesis of barium imide from the elements and orientational disorder of anions in BaND studied by neutron diffraction from 8 to 294 K, 81
Doping
a study of doped lanthanum cuprate: $La_{1.5}Sr_{0.5}Cu_{0.75}Mo_{2.5}O_4$ ($M \equiv Ti^{4+}, Ir^{4+}$), 179
Dysprosium
hard magnetic properties of rapidly quenched $Nd_{4-x}Dy_xFe_{77.5}B_{18.5}$ alloys, 339

Elastic properties
elastic properties of materials by pulsed neutron powder diffraction, 353
Electrical properties
single-crystal growth and electrical properties of $CaSi_2$, 329
Electronic properties
lattice vacancies and electronic properties of zirconium hydrides, 1
Enthalpy of formation
standard enthalpies of formation of Me_5Si_3 ($Me \equiv Y, Lu, Zr$) and of Hf_3Si_2, 91
Europium
synthesis, characterization and magnetic properties of some $LnBO_3$ ($Ln = Pr, Sm, Eu$ and Yb) compounds, 387

Gadolinium
X-ray absorption fine structure study of some compounds and complexes of samarium and gadolinium, 199
Gadolinium
structure and properties of Gd_2XC ($X \equiv Cl, Br, I$), 65
Gallium
phase relations in the ternary systems Pr–Fe–M ($M \equiv Ga, In, Tl$), 135
physical properties of binary cerium gallides and ternary cerium–germanium gallides, 365
Germanium
crystal structure and properties of tetragonal $CeGe_{1.6}$, 53
crystal structure of $Y_3Pt_4Ge_6$: an intergrowth of $BaAl_4$ and $YIrGe_2$ slabs, 45
physical properties of binary cerium gallides and ternary cerium–germanium gallides, 365
the isothermal section (500 °C) of the phase diagram of the ternary system Ge–Ho–Si, 217

Hafnium
standard enthalpies of formation of Me_5Si_3 ($Me \equiv Y, Lu, Zr$) and of Hf_3Si_2, 91
Halogens
structure and properties of Gd_2XC ($X \equiv Cl, Br, I$), 65
Holmium
the isothermal section (500 °C) of the phase diagram of the ternary system Ge–Ho–Si, 217

Hydrogen
"up-hill" diffusion and hydrogen–hydrogen interaction in palladium–platinum alloys, 305
lattice vacancies and electronic properties of zirconium hydrides, 1
magnetostriction-initiated ordering of hydrogen in $Sm(Fe,Co)_2$ alloys, 119
microstructure and magnetic domains in sintered Nd–Fe–B magnets made by hydrogen decrepitation and conventional techniques, 153
thermodynamic properties of the $Zr_{0.8}Ti_{0.2}(Mn_xCr_{1-x})Fe–H_2$, system, 245
Hydrogen sorption
hydrogen sorption and hydrogen-induced phase separation in a nearly equiatomic Ni–Zr amorphous alloy, 283

Indium
phase relations in the ternary systems Pr–Fe–M (M ≡ Ga, In, Tl), 135
Iridium
a study of doped lanthanum cuprate: $La_{1.5}Sr_{0.5}Cu_{0.75}Mo_{2.5}O_4$ ($M \equiv Ti^{4+}, Ir^{4+}$), 179
crystal structure of $Y_3Pt_4Ge_6$: an intergrowth of $BaAl_4$ and $YIrGe_2$ slabs, 45
Iron
hard magnetic properties of rapidly quenched $Nd_{4-x}Dy_xFe_{77.5}B_{18.5}$ alloys, 339
magnetic and Mössbauer effect study of $YTi(Fe_{1-x}Ni_x)_{11}$, 213
magnetic properties of $Th_2Fe_{14}B$ and its hydride, 107
magnetic properties of $UFe_{12-x}Si_x$, 255
magnetocrystalline anisotropy in Y_6Fe_{23}, 101
magnetostriction-initiated ordering of hydrogen in $Sm(Fe,Co)_2$ alloys, 119
phase coexistence and coercivity in the Fe–Nd and Fe–Pr systems, 31
phase relations in the ternary systems Pr–Fe–M (M ≡ Ga, In, Tl), 135
thermodynamic properties of the $Zr_{0.8}Ti_{0.2}(Mn_xCr_{1-x})Fe–H_2$ system, 245

Lanthanides
synthesis of lanthanide carbonates, 223
Lanthanum
a study of doped lanthanum cuprate: $La_{1.5}Sr_{0.5}Cu_{0.75}Mo_{2.5}O_4$ ($M \equiv Ti^{4+}, Ir^{4+}$), 179
characterization of $BaNiTb_2O_5$ and $BaCuLaSmO_5$, 185
synthesis and structure determination of a new phase in the $La_2O_3–Li_2O–Sb_2O_5$ system, 381
Lattice vacancies
lattice vacancies and electronic properties of zirconium hydrides, 1
Lithium
the systems $MF–ScF_3$ (M ≡ Li, Na, K, Rb, Cs, Tl, NH_4), 319
synthesis and structure determination of a new phase in the $La_2O_3–Li_2O–Sb_2O_5$ system, 381
Lutetium
standard enthalpies of formation of Me_5Si_3 (Me ≡ Y, Lu, Zr) and of Hf_3Si_2, 91
synthesis and structure determination of $Ba_8Pt_4Lu_3O_{17.5}$, 395

Magnesium
investigations into electron-conducting oxide systems XV. Formation of mixed crystals and conductivity in the system $Mg_2TiO_4–MgTi_2O_4$, 233
Magnetism
hard magnetic properties of rapidly quenched $Nd_{4-x}Dy_xFe_{77.5}B_{18.5}$ alloys, 339
magnetic and Mössbauer effect study of $YTi(Fe_{1-x}Ni_x)_{11}$, 213
magnetic properties of $Th_2Fe_{14}B$ and its hydride, 107
magnetic properties of $UFe_{12-x}Si_x$, 255
magnetic susceptibility of calcium, strontium and barium between 295 and 3 K, 345
microstructure and magnetic domains in sintered Nd–Fe–B magnets made by hydrogen decrepitation and conventional techniques, 153
synthesis, characterization and magnetic properties of some $LnBO_3$ (Ln ≡ Pr, Sm, Eu and Yb) compounds, 387
Manganese
compositional dependence of quasicrystal formation in mechanically alloyed Al–Cu–Mn, 143
structural instabilities and superconductivity in quasi-binary Mn_5Si_3-type compounds, 163
thermodynamic properties of the $Zr_{0.8}Ti_{0.2}(Mn_xCr_{1-x})Fe–H_2$ system, 245
Metallurgy
the Ti–N system: kinetic, calorimetric, structural and metallurgical investigations of the δ'-$TiN_{0.51}$ phase, 261

Microstructure
microstructure and magnetic domains in sintered Nd–Fe–B magnets made by hydrogen decreptitation and conventional techniques, 153
Mixed crystals
investigations on electron-conducting oxide systems XV. Formation of mixed crystals and conductivity in the system Mg_2TiO_4–$MgTi_2O_4$, 233
Mössbauer effect
magnetic and Mössbauer effect study of $YTi(Fe_{1-x}Ni_x)_{11}$, 213

Neodymium
$BaZnNd_2O_5$: a new structure for oxometallates $BaMLn_2O_5$, 187
hard magnetic properties of rapidly quenched $Nd_{4-x}Dy_xFe_{77.5}B_{18.5}$ alloys, 339
phase coexistence and coercivity in the Fe–Nd and Fe–Pr systems, 31
Neutron diffraction
synthesis of barium imide from the elements and orientational disorder of anions in BaND studied by neutron diffraction from 8 to 294 K, 81
Nickel
hydrogen sorption and hydrogen-induced phase separation in a nearly equiatomic Ni–Zr amorphous alloy, 283
magnetic and Mössbauer effect study of $YTi(Fe_{1-x}Ni_x)_{11}$, 213
Niobium
characterization of $BaNiTb_2O_5$ and $BaCuLaSmO_5$, 185
Nitrogen
synthesis of barium imide from the elements and orientational disorder of anions in BaND studied by neutron diffraction from 8 to 294 K, 81
the Ti–N system: kinetic, calorimetric, structural and metallurgical investigations of the δ'-$TiN_{0.51}$ phase, 261

Order
magnetostriction-initiated ordering of hydrogen in $Sm(Fe,Co)_2$ alloys, 119
Oxygen
a study of doped lanthanum cuprate: $La_{1.5}Sr_{0.5}Cu_{0.75}Mo_{2.5}O_4$ ($M \equiv Ti^{4+}, Ir^{4+}$), 179
$BaZnNd_2O_5$: a new structure for oxometallates $BaMLn_2O_5$, 193
characterization of $BaNiTb_2O_5$ and $BaCuLaSmO_5$, 185
solid phase equilibria in the Zr–Zr_2P–ZrO_2 system: the crystal structure of Zr_3PO_{1-x}, 21
synthesis and structure determination of $Ba_8Pt_4Lu_3O_{17.5}$, 395
synthesis and structure determination of a new phase in the La_2O_3–Li_2O–Sb_2O_5 system, 381
investigations on electron-conducting oxide systems XV. Formation of mixed crystals and conductivity in the system Mg_2TiO_4–$MgTi_2O_4$, 233

Palladium
"up-hill" diffusion and hydrogen–hydrogen interaction in palladium–platinum alloys, 305
Phase coexistence
phase coexistence and coercivity in the Fe–Nd and Fe–Pr systems, 31
Phase diagrams
the isothermal section (500 °C) of the phase diagram of the ternary system Ge–Ho–Si, 217
Phase equilibria
solid phase equilibria in the Zr–Zr_2P–ZrO_2 system: the crystal structure of Zr_3PO_{1-x}, 21
Phase relations
phase relations in the ternary systems Pr–Fe–M (M ≡ Ga, In, Tl), 135
Phase separation
hydrogen sorption and hydrogen-induced phase separation in a nearly equiatomic Ni–Zr amorphous alloy, 283
Phosphorus
$BaCu_2P_4$—a new ternary polyphosphide, 127
solid phase equilibria in the Zr–Zr_2P–ZrO_2 system: the crystal structure of Zr_3PO_{1-x}, 21
Physical properties
physical properties of binary cerium gallides and ternary cerium–germanium gallides, 365
Platinum
"up-hill" diffusion and hydrogen–hydrogen interaction in palladium–platinum alloys, 305
crystal structure of $Y_3Pt_4Ge_6$: an intergrowth of $BaAl_4$ and $YIrGe_2$ slabs, 45
synthesis and structure determination of $Ba_8Pt_4Lu_3O_{17.5}$, 395
Polyphosphides
$BaCu_2P_4$—a new ternary polyphosphide, 127

Potassium
the systems MF–ScF_3 (M ≡ Li, Na, K, Rb, Cs, Tl, NH_4), 319
Praesodymium
phase coexistence and coercivity in the Fe–Nd and Fe–Pr systems, 31
phase relations in the ternary systems Pr–Fe–M (M ≡ Ga, In, Tl), 135
synthesis, characterization and magnetic properties of some $LnBO_3$ (Ln ≡ Pr, Sm, Eu and Yb) compounds, 387
Pulsed neutron powder diffraction
elastic properties of materials by pulsed neutron powder diffraction, 353

Rod milling
rod milling for solid-state formation of $Al_{30}Ta_{70}$ amorphous alloy powder, 113
Rubidium
the systems MF–ScF_3 (M ≡ Li, Na, K, Rb, Cs, Tl, NH_4), 319
Ruthenium
thermodynamics of the U–Ru–C system, 373

Samarium
characterization of $BaNiTb_2O_5$ and $BaCuLaSmO_5$, 185
magnetostriction-initiated ordering of hydrogen in $Sm(Fe,Co)_2$ alloys, 119
synthesis, characterization and magnetic properties of some $LnBO_3$ (Ln ≡ Pr, Sm, Eu and Yb) compounds, 387
X-ray absorption fine structure study of some compounds and complexes of samarium and gadolinium, 199
Selenium
$Cs_7Co_4Se_8$, a compound having $[Co_4Se_8]$ units, 155
Silicon
magnetic properties of $UFe_{12-x}Si_x$, 255
single-crystal growth and electrical properties of $CaSi_2$, 329
standard enthalpies of formation of Me_5Si_3 (Me ≡ Y, Lu, Zr) and of Hf_3Si_2, 91
structural instabilities and superconductivity in quasi-binary Mn_5Si_3-type compounds, 163
the isothermal section (500 °C) of the phase diagram of the ternary system Ge–Ho–Si, 217
Single-crystal growth
single-crystal growth and electrical properties of $CaSi_2$, 329
Sintering
microstructure and magnetic domains in sintered Nd–Fe–B magnets made by hydrogen decreptitation and conventional techniques, 153
Sodium
the systems MF–ScF_3 (M ≡ Li, Na, K, Rb, Cs, Tl, NH_4), 319
Strontium
magnetic susceptibility of calcium, strontium, and barium between 295 and 3 K, 345
Structure
$BaZnNd_2O_5$: a new structure for oxometallates $BaMLn_2O_5$, 187
structural instabilities and superconductivity in quasi-binary Mn_5Si_3-type compounds, 163
structure and properties of Gd_2XC (X ≡ Cl, Br, I), 65
synthesis and structure determination of $Ba_8Pt_4Lu_3O_{17.5}$, 395
synthesis and structure determination of a new phase in the La_2O_3–Li_2O–Sb_2O_5 system, 381
the Ti–N system: kinetic, calorimetric, structural and metallurgical investigations of the δ'-$TiN_{0.51}$ phase, 261
X-ray absorption fine structure study of some compounds and complexes of samarium and gadolinium, 199
Superconductivity
structural instabilities and superconductivity in quasi-binary Mn_5Si_3-type compounds, 163
Synthesis
synthesis and structure determination of $Ba_8Pt_4Lu_3O_{17.5}$, 395
synthesis and structure determination of a new phase in the La_2O_3–Li_2O–Sb_2O_5 system, 381
synthesis of lanthanide carbonates, 223
synthesis, characterization and magnetic properties of some $LnBO_3$ (Ln ≡ Pr, Sm, Eu and Yb) compounds, 387

Tantalum
rod milling for solid-state formation of $Al_{30}Ta_{70}$ amorphous alloy powder, 113
Terbium
characterization of $BaNiTb_2O_5$ and $BaCuLaSmO_5$, 185
Thallium
the systems MF–ScF_3 (M ≡ Li, Na, K, Rb, Cs, Tl, NH_4), 319

phase relations in the ternary systems Pr–Fe–M (M ≡ Ga, In, Tl), 135
Thermodynamics
thermodynamics of the U–Ru–C system, 373
Thorium
magnetic properties of $Th_2Fe_{14}B$ and its hydride, 107
Titanium
a study of doped lanthanum cuprate: $La_{1.5}Sr_{0.5}Cu_{0.75}Mo_{2.5}O_4$ ($M \equiv Ti^{4+}, Ir^{4+}$), 179
magnetic and Mössbauer effect study of $YTi(Fe_{1-x}Ni_x)_{11}$, 213
the Ti–N system: kinetic, calorimetric, structural and metallurgical investigations of the δ'-$TiN_{0.51}$ phase, 261
thermodynamic properties of the $Zr_{0.8}Ti_{0.2}(Mn_xCr_{1-x})Fe–H_2$ system, 245
investigations on electron conducting oxide systems XV. Formation of mixed crystals and conductivity in the system Mg_2TiO_4–$MgTi_2O_4$, 233
Tungsten
some structural sources of brittleness in molten tungsten, 11

Uranium
magnetic properties of $UFe_{12-x}Si_x$, 255
thermodynamics of the U–Ru–C system, 373

X-ray absorption
X-ray absorption fine structure study of some compounds and complexes of samarium and gadolinium, 199

Ytterbium
synthesis, characterization and magnetic properties of some $LnBO_3$ (Ln ≡ Pr, Sm, Eu and Yb) compounds, 387
Yttrium
crystal structure of $Y_3Pt_4Ge_6$: an intergrowth of $BaAl_4$ and $YIrGe_2$ slabs, 45
magnetic and Mössbauer effect study of $YTi(Fe_{1-x}Ni_x)_{11}$, 213
magnetocrystalline anisotropy in Y_6Fe_{23}, 101
standard enthalpies of formation of Me_5Si_3 (Me ≡ Y, Lu, Zr) and of Hf_3Si_2, 91

Zinc
$BaZnNd_2O_5$: a new structure for oxometallates $BaMLn_2O_5$, 187
Zirconium
hydrogen sorption and hydrogen-induced phase separation in a nearly equiatomic Ni–Zr amorphous alloy, 283
lattice vacancies and eletronic properties of zirconium hydrides, 1
solid phase equilibria in the Zr–Zr_2P–ZrO_2 system: the crystal structure of Zr_3PO_{1-x}, 21
standard enthalpies of formation of Me_5Si_3 (Me ≡ Y, Lu, Zr) and of Hf_3Si_2, 91
thermodynamic properties of the $Zr_{0.8}Ti_{0.2}(Mn_xCr_{1-x})Fe–H_2$ system, 245